<u>173-39-02.9</u> **ODA provider certification: home modification.**

- (A) <u>"Home modification" has the same meaning as "home modifications" in rule</u> 5160-44-13 of the Administrative Code.
- (B) Requirements for ODA-certified providers of home modification:
 - (1) The provider is subject to rule 173-39-02 of the Administrative Code.
 - (2) The provider is subject to rule 5160-44-13 of the Administrative Code.
 - (3) If a conflict exists between a requirement in rule 173-39-02 of the Administrative Code and a requirement in rule 5160-44-13 of the Administrative Code, the provider shall comply with the requirement in rule 173-39-02 of the Administrative Code instead of the conflicting requirement in rule 5160-44-13 of the Administrative Code.
- (C) Unit and rates:
 - (1) For the PASSPORT program:
 - (a) The appendix to rule 5160-1-06.1 of the Administrative Code establishes one unit of home modification as one completed job.
 - (b) The appendix to rule 5160-1-06.1 of the Administrative Code and rule 5160-44-13 of the Administrative Code establish the maximumallowable rate for a unit of home modification..
 - (2) For the PASSPORT program, rule 5160-31-07 of the Administrative Code establishes the rate-setting methodology for home modification, which requires the unit rate to be negotiated between the provider and ODA's designee. The negotiated rate includes all administrative, labor, and material costs for a specific job. The PASSPORT program does not pay for any amount in excess of the negotiated rate, unless ODA's designee approves a revised rate that does not exceed the maximum-allowable rate in paragraph (C)(1)(b) of this rule.

Replaces:	173-39-02.9
Effective:	5/1/2024
Five Year Review (FYR) Dates:	05/01/2029

CERTIFIED ELECTRONICALLY

Certification

04/12/2024

Date

Promulgated Under: Statutory Authority: Rule Amplifies: Prior Effective Dates:

119.03 121.07, 173.01, 173.02, 173.391, 173.52, 173.522 173.39, 173.391, 173.52, 173.522; 42 C.F.R. 441.352 03/31/2006, 12/01/2017, 01/01/2019, 07/01/2019