ACTION: Final

TO BE RESCINDED

4101:1-35-01.3 Building code referenced standards.

Aluminum Association 900 - 19th Street N.W., Suite 300 Washington, DC 20006

| AA | |
|-----------|---|
| Standard | |
| reference | |
| number | Title |
| ADM 1-00 | Aluminum Design Manual: Part 1-A Aluminum Structures, Allowable Stress Design; and Part 1-B-Aluminum |
| | Structures, Load and Resistance Factor Design of Building and Similar Type Structures |
| ASM 35-00 | Specifications for Aluminum Sheet Metal Work in Building Construction |

American Architectural Manufacturers Association 1827 Waldon Office Square, Suite 104 Schaumburg, IL 60173

AAMA

| Standard reference | |
|-----------------------|--|
| number | Title |
| 1402-86 | Standard Specifications for Aluminum Siding, Soffit and Fascia |
| 101/I.S.2-97 | Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors |
| 101/I.S.2/NAFS-02 | Voluntary Performance Specification for Window, Skylights and Glass Doors |

American Concrete Institute P.O. Box 9094 Farmington Hills, MI 48333-9094

ACI Standard reference

| number | Title |
|------------------|---|
| 216.1-97 | Standard Method for Determining Fire Resistance of |
| | Concrete and Masonry Construction Assemblies |
| 318-02 | Building Code Requirements for Structural Concrete |
| 530/530.1-02 | Bldg Code Requirements for Masonry Structures & Specs |
| | for Masonry Structures & Commentaries |
| T1.1-01/T1.1R-01 | Acceptance Criteria for Moment Frames Based on |
| | Structural Testing |

American Forest & Paper Association 1111 19th St, NW Suite 800 Washington, DC 20036

AF&PA

| Standard reference | |
|-----------------------|--|
| number | Title |
| AF&PA/ASCE 16-95 | Standard for Load and Resistance Factor Design |
| | (LRFD) for Engineered Wood Construction |
| WCD No. 4-89 | Plank and Beam Framing for Residential Buildings |
| WFCM-01 | Wood Frame Construction Manual for One-and |
| | Two-family Dwellings |
| T.R. No. 7-87 | Permanent Wood Foundation System |
| NDS-01 | National Design Specification (NDS) for Wood |
| | Construction with 2001 Supplement |
| AF&PA-93 | Span Tables for Joists and Rafters |

American Hardwood Association 1210 West N.W. Highway Palatine, IL 60067

AHA

| Standard | |
|-----------|--------------------------------|
| reference | |
| number | Title |
| A135.4—95 | Basic Hardboard |
| A135.5—95 | Prefinished Hardboard Paneling |
| A135.6—98 | Hardboard Siding |
| A194.1—85 | Cellulosic Fiber Board |

American Institute of Steel Construction One East Wacker Drive, Suite 3100 Chicago, IL 60601-2001

| AISC Standard | |
|------------------|---|
| reference | |
| number | Title |
| 335-89s1 | Specification for Structural Steel Buildings—Allowable |
| | Stress Design and Plastic Design, including Supplement |
| | No.1, 2001 |
| LRFD (1999) | Load and Resistance Factor Design Specification for |
| | Structural Steel Buildings |
| HSS (2000) | Load and Resistance Factor Design Specification for Steel |
| | Hollow Structural Sections |
| 341-02 | Seismic Provisions for Structural Steel Buildings |

American Iron and Steel Institute 1140 Connecticut Avenue Suite 705 Washington, DC 20036

AISI

| Standard reference | |
|-----------------------|--|
| number | Title |
| NASPEC 2001 | North American Specification for Design of Cold-Formed |
| | Steel Structural Members |
| General | Standard for Cold-Formed Steel Framing-General |
| | Provisions |
| Header | Standard for Cold-Formed Steel Framing-Header Design |
| Truss | Standard for Cold-Formed Steel Framing-Truss Design |

American Institute of Timber Construction Suite 140 7012 S. Revere Parkway Englewood, CO 80112

| AITC | |
|--------------------------|---|
| Standard | |
| reference | |
| number | Title |
| AITC A 190.1-92 | Structural Glued Laminated Timber |
| AITC Technical Note 7-96 | Calculation of Fire Resistance of Glued Laminated |
| | Timbers |
| AITC 104-03 | Typical Construction Details |
| AITC 110-01 | Standard Appearance Grades for Structural Glued |
| | Laminated Timber |
| AITC 112-93 | Standard for Tongue-and-Groove Heavy Timber |
| | Roof Decking |
| AITC 113-01 | Standard for Dimensions of Structural Glued |
| | Laminated Timber |
| AITC 117-01 | Standard Specifications for Structural Glued |
| | Laminated Timber of Softwood Species-Design |
| | Requirements—Standard Specifications for |
| | Structural Glued Laminated Timber of Softwood |
| | Species—Manufacturing Requirements |
| AITC 119-96 | Standard Specifications for Structural Glued |
| | Laminated Timber of Hardwood Species |
| AITC 200-92 | Inspection Manual |
| AITC 500-91 | Determination of Design Values for Structural |
| | Glued Laminated Timber |

Automotive Lift Institute P.O. Box 33116 Indialantic, FL 32903-3116

| ALI | |
|--------------|---|
| Standard | |
| reference | |
| number | Title |
| ALI ALCTV-98 | Standard for Automotive Lifts—Safety Requirements for |
| | Construction, Testing and Validation (ANSI) |

American National Standards Institute 25 West 43rd Street, Fourth Floor New York, NY 10036 4

| ANSI | |
|-------------|---|
| Standard | |
| reference | |
| number | Title |
| A 13.1-96 | Scheme for the Identification of Piping Systems |
| A 42.2-71 | Portland Cement and Portland Cement Lime Plastering, |
| | Exterior (Stucco) and Interior |
| A 42.3-71 | Lathing and Furring for Portland Cement and Portland |
| | Cement Lime Plastering, Exterior Stucco and Interior |
| A108.1A-99 | Installation of Ceramic Tile in the Wet-set Method, with |
| | Portland Cement Mortar |
| A108.1B-99 | Installation of Ceramic Tile, Quarry Tile on a Cured |
| | Portland Cement Mortar Setting Bed with Dry-set or Latex- |
| | Portland Mortar |
| A108.4-99 | Installation of Ceramic Tile with Organic Adhesives or |
| | Water-cleanable Tile-Setting Epoxy Adhesive |
| A108.5-99 | Installation of Ceramic Tile with Dry-set Portland Cement |
| | Mortar or Latex Portland Cement Mortar |
| A108.6-99 | Installation of Ceramic Tile with Chemical-resistant, Water |
| | Cleanable Tile-setting-and-grouting Epoxy |
| A108.7-92 | Specification for Electrically Conductive Ceramic Tile |
| | Installed with Conductive Dry-set Portland Cement Mortar |
| A108.8-99 | Installation of Ceramic Tile with Chemical-resistant Furan |
| | Resin Mortar and Grout |
| A108.9-99 | Installation of Ceramic Tile with Modified Epoxy |
| | Emulsion Mortar/Grout |
| A 108.10-99 | Installation of Grout in Tilework |
| A 117.1-03 | Accessible and Usable Buildings and Facilities |
| A 118.1-99 | American National Standard Specifications for Dry-set Portland |
| | Cement Mortar |
| A 118.2-99 | American National Standard Specifications for Conductive Dry-set |
| | Portland Cement Mortar |
| A 118.3-99 | American National Standard Specifications for Chemical-resistant, |
| | Water-cleanable Tile-setting and -Grouting Epoxy and Water |
| | Cleanable Tile-setting Epoxy Adhesive |
| A 118.4-99 | American National Standard Specifications for Latex-portland |
| | Cement Mortar |
| A 118.5-99 | American National Standard Specifications for Chemical Resistant |
| | 1 |

| | Furan Mortar and Grouts for Tile Installation |
|-------------------|---|
| A 118.6-99 | American National Standard Specifications for Cement Grouts for |
| | Tile Installation |
| A 118.8-99 | American National Standard Specifications for Modified Epoxy Emulsion |
| | Mortar/Grout |
| A 136.1-99 | American National Standard Specifications for Organic Adhesives for |
| | Installation of Ceramic Tile |
| A 137.1-88 | American National Standard Specifications for Ceramic Tile |
| A 208.1-99 | Particleboard |
| Z 97.1-84 (R1994) | Safety Glazing Materials Used in Buildings Safety Performance |
| | Specifications and Methods of Test (Reaffirmed 1994) |

APA - Engineered Wood Association P.O. Box 11700 Tacoma, WA 98411-0700

APA -lard

| Standard | |
|-------------------------|--|
| reference | |
| number | Title |
| APA PDS—97 | Plywood Design Specification (revised 1998) |
| APA PDS Supplement 1—90 | Design and Fabrication of Plywood Curved Panels (revised 1995) |
| APA PDS Supplement 2—92 | Design and Fabrication of Plywood-lumber beams (revised 1998) |
| APA PDS Supplement 3—90 | Design and Fabrication of Plywood Stressed-skin Panels (revised 1996) |
| APA PDS Supplement 4—90 | Design and Fabrication of Plywood Sandwich Panels (revised 1993) 2306.1 |
| APA PDS Supplement 5—95 | Design and Fabrication of All-plywood Beams (revised 1995) |
| EWS R540—02 | Builders Tips: Proper Storage and Handling of Glulam Beams |
| EWS S475—01 | Glued Laminated Beam Design Tables |
| EWS \$560—01 | Field Notching and Drilling of Glued Laminated Timber Beams |
| EWS T300—99 | Glulam Connection Details |
| EWS X440—00 | Product Guide-Glulam |
| EWS X445—97 | Glulam in Residential Construction —Southern Edition |
| EWS X450—01 | Glulam in Residential Construction —Western Edition |

American Society of Agricultural Engineers 2950 Niles Road St. Joseph, MI 49085-9659

| ASAE | |
|-----------------|---|
| Standard | |
| reference | |
| number | Title |
| EP 484.2 (1998) | Diaphragm Design of Metal-Clad, Post-Frame Rectangular |
| | Buildings |
| EP 486.1 (2000) | Shallow-Post Foundation Design |
| EP 559 (1997) | Design Requirements and Bending Properties for Mechanically |
| | Laminated Columns |
| | |

American Society of Civil Engineers Structural Engineering Institute 1801 Alexander Bell Drive Reston, VA 20191-4400

ASCE/SEI

| Standard | |
|-----------|--|
| reference | |
| number | Title |
| 3—91 | Standard Practice for the Construction and Inspection of Composite Slabs |
| 5—02 | Building Code Requirements for Masonry Structures |
| 6—02 | Specifications for Masonry Structures |
| 7—02 | Minimum Design Loads for Buildings and Other Structures |
| 8—90 | Standard Specification for the Design of Cold-formed Stainless Steel |
| | Structural Members |
| 16—96 | Standard for Load Resistance Factor Design (LRFD) for Engineered |
| | Wood Construction |
| 19—97 | Structural Applications of Steel Cables for Buildings |
| 24—00 | Flood Resistant Design and Construction |
| 29—03 | Standard Calculation Methods for Structural Fire Protection |
| 32—01 | Design and Construction of Frost Protected Shallow Foundations |

American Society of Heating Refrigerating and Air Conditioning Engineers, Inc. 1791 Tullie Circle, NE Atlanta, GA 30329

| ASHRAE Standard Reference Number | Title |
|---|--|
| ASHRAE 90.1-2004 | Energy Standard for Buildings Except Low-Rise Residential Buildings |

American Society of Mechanical Engineers Three Park Avenue New York, NY 10016-5990

| ASME Standard reference | |
|-------------------------------|--|
| number | Title |
| A17.1—04 | Safety Code for Elevators and Escalators |
| A18.1—03 | Safety Standard for Platform Lifts and Stairway Chairlifts |
| A90.1—03 | Safety Standard for Belt Manlifts |
| B16.18—01 | Cast Copper Alloy Solder Joint Pressure Fittings |
| B16.22—01 | Wrought Copper and Copper Alloy Solder Joint Pressure Fittings |
| B20.1—03 | Safety Standard for Conveyors and Related Equipment |

ASTM International 100 Barr Harbor Drive West Conshohocken, PA 19428-2959

| Title |
|--|
| Specification for General Requirements for Rolled Steel, Structural Steel Bars, Plates, Shapes, and Sheet Piling |
| Specification for Carbon Structural Steel |
| Specification for Steel Wire, Plain, for Concrete Reinforcement |
| Specification for Zinc (Hot-Dip Galvanized) Coating on Iron and Steel Products |
| Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware |
| Specification for Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet and Strip |
| Specification for Steel Welded Wire Reinforcement, Plain for Concrete |
| Specification for Welded and Seamless Steel Pipe Piles |
| Specification for Low and Intermediate Tensile Strength Carbon Steel Plates |
| Specification for Carbon Steel Bolts and Studs, 60,000 psi Tensile Strength |
| |

| A 416/A 416M—02 | Specification for Steel Strand, Uncoated Seven-Wire for |
|------------------------|--|
| | Prestressed Concrete |
| A 421/A 421M—02 | Specification for Uncoated Stress-Relieved Steel Wire for |
| | Prestressed Concrete |
| A 435/A 435M—90 (2001) | Specification for Straight-Beam Ultrasonic Examination of Steel |
| h 107 02 | Plates |
| A 496—02 | Specification for Steel Wire, Deformed for Concrete |
| 4 510 03 | Reinforcement |
| A 510—03 | Specification for General Requirements for Wire Rods and Coarse |
| | Round Wire, Carbon Steel |
| A 568/A 568M—03 | Specification for Steel, Sheet, Carbon, and High-Strength, Low- |
| | Alloy, Hot-Rolled and Cold-Rolled, General Requirements for |
| | Table |
| A 572/A 572M—04 | Specification for High-Strength Low-Alloy Columbium-Vanadium |
| | Structural Steel |
| A 588/A 588M—04 | Specification for High-Strength Low-Alloy Structural Steel with |
| | 50 ksi (345 Mpa) Minimum Yield Point to 4 inches (100 mm) |
| | Thick |
| A 615/A 615M—04 | Specification for Deformed and Plain Billet-Steel Bars for |
| | Concrete Reinforcement |
| A 641/A 641M—03 | Specification for Zinc-coated (Galvanized) Carbon Steel Wire |
| A 653/A 653M—03 | Specification for Steel Sheet, Zinc-coated Galvanized or Zinc-iron |
| | Alloy-Coated Galvannealed by the Hot-dip Process Table |
| A 706/A 706M—04 | Specification for Low-Alloy Steel Deformed and Plain Bars for |
| | Concrete Reinforcement |
| A 722/A 722M—98 (2003) | Specification for Uncoated High-Strength Steel Bar for |
| | Prestressing Concrete |
| A 755/A 755M—03 | Specification for Steel Sheet, Metallic-Coated by the Hot-Dip |
| | Process and Prepainted by the Coil-Coating Process for Exterior |
| | Exposed Building Products |
| A 767/A 767M—00b | Specification for Zinc-coated (Galvanized) Steel Bars for Concrete |
| | Reinforcement |
| A 775/A 775M—04 | Specification for Epoxy-Coated Steel Reinforcing Bars |
| A 792/A 792M—03 | Specification for Steel Sheet, 55% Aluminum-Zinc Alloy-Coated |
| | by the Hot-Dip Process Table |
| A 875M—02a | Specification for Steel Sheet Zinc-54% Aluminum Alloy-Coated |
| | by the Hot Dip Process |
| A 884/A 884M—02 | Specification for Epoxy-Coated Steel Wire and Welded Wire |
| | Fabric for Reinforcement |
| A 898/A 898M—91 (2001) | Specification for Straight Beam Ultrasonic Examination of Rolled |
| | Steel Shapes |
| A 899—91 (2002) | Specification for Steel Wire Epoxy-Coated |
| A 913/A 913M—04 | Specification for High-strength Low-Alloy Steel Shapes of |
| | Structural Quality, Produced by Quenching and Self-tempering |
| | |

| | Process (QST) |
|-------------------------|---|
| A 951—02 | Specification for Masonry Joint Reinforcement |
| A 996/A 996M—00 | Specification for Rail-Steel and Axle-Steel Deformed Bars |
| | Reinforcement for Concrete |
| A1008/A 1008M—04a | Specification for Steel, Sheet, Cold-Rolled, Carbon, Structural, |
| | High-Strength Low-Alloy and High-Strength Low-Alloy with |
| | Improved Formability |
| B 42—02ε1 | Specification for Seamless Copper Pipe, Standard Sizes |
| B 43—98ε1 | Specification for Seamless Red Brass Pipe, Standard Sizes |
| B 68M—99 | Specification for Seamless Copper Tube, Bright Annealed (Metric) |
| В 88—03 | Specification for Seamless Copper Water Tube |
| B 101—02 | Specification for Lead-Coated Copper Sheet and Strip for Building |
| | Construction Table |
| B 209—04 | Specification for Aluminum and Aluminum Alloy Steel and Plate |
| B 251—02ε1 | Specification for General Requirements for Wrought Seamless |
| | Copper and Copper-alloy Tube |
| В 280—03 | Specification for Seamless Copper Tube for Air Conditioning and |
| | Refrigeration Field Service |
| B 633—98ε1 | Specification for Electrodeposited Coatings of Zinc on Iron and |
| | Steel |
| С 5—03 | Specification for Quicklime for Structural Purposes |
| C 22/C 22M—00 | Specification for Gypsum Table |
| C 27—98 (2002) | Specification for Standard Classification of Fireclay and High- |
| | Alumina Refractory Brick |
| C 28/C 28M—00 <i>ε1</i> | Specification for Gypsum Plasters |
| C 31/31M— <i>03a</i> | Practice for Making and Curing Concrete Test Specimens in the |
| | Field |
| С 33—03 | Specification for Concrete Aggregates |
| C 34— <i>03</i> | Specification for Structural Clay Load-bearing Wall Tile |
| C 35—01 | Specification for Inorganic Aggregates for Use in Gypsum Plaster |
| C 36/C 36M-03 | Specification for Gypsum Wallboard |
| C 37/C 37M-01 | Specification for Gypsum Lath Table |
| C 39— <i>03</i> | Test Method for Compressive Strength of Cylindrical Concrete |
| | Specimens |
| C 42/C 42M—03 | Test Method for Obtaining and Testing Drilled Cores and Sawed |
| | Beams of Concrete |
| С 55—03 | Specification for Concrete Brick |
| C 56—96 (2001) | Specification for Structural Clay Non-load Bearing Tile |
| C 59/C 59M—00 | Specification for Gypsum Casting and Molding Plaster |
| C 61/C 61M—00 | Specification for Gypsum Keene's Cement |
| С 62—04 | Specification for Building Brick (Solid Masonry Units Made from |
| | Clay or Shale) |
| С 67—03а | Test Methods of Sampling and Testing Brick and Structural Clay |
| | Tile |

| 4101:1-35-01.3 | |
|----------------|--|
|----------------|--|

| C 73—99a | Specification for Calcium Silicate Face Brick (Sand-lime Brick) |
|------------------------|--|
| С 79/С 79М—04 | Specification for Treated Core and Non-treated Core Gypsum |
| | Sheathing Board |
| C 90— <i>03</i> | Specification for Loadbearing Concrete Masonry Units Table |
| C 91—03a | Specification for Masonry Cement |
| C 94/C 94M—04 | Specification for Ready-Mixed Concrete |
| C 126—99 | Specification for Ceramic Glazed Structural Clay Facing Tile, |
| | Facing Brick, and Solid Masonry Units |
| C 140— <i>03</i> | Test Method Sampling and Testing Concrete Masonry Units and |
| | Related Units |
| C 150—02aɛ1 | Specification for Portland Cement |
| C 172—99 | Practice for Sampling Freshly Mixed Concrete |
| C 199—84 (2000) | Test Method for Pier Test for Refractory Mortars |
| С 206—03 | Specification for Finishing Hydrated Lime |
| С 207—04 | Specification for Hydrated Lime for Masonry Purposes |
| C 208—95 <i>(2001)</i> | Specification for Cellulosic Fiber Insulating Board |
| C 212—00 | Specification for Structural Clay Facing Tile |
| C 216—04 | Specification for Facing Brick (Solid Masonry Units Made from |
| | Clay or Shale) |
| C 270— <i>03b</i> | Specification for Mortar for Unit Masonry |
| C 315—02 | Specification for Clay Flue Linings |
| C 317/C 317M—00 | Specification for Gypsum Concrete |
| C 330—04 | Specification for Lightweight Aggregates for Structural Concrete |
| C 331—04 | Specification for Lightweight Aggregates for Concrete Masonry |
| | Units |
| C 406—00 | Specification for Roofing Slate |
| C 442/C 442M—04 | Specification for Gypsum Backing Board and Coreboard and |
| | Gypsum Shaftliner Board |
| C 472—99 | Specification for Standard Test Methods for Physical Testing of |
| | Gypsum, Gypsum Plasters and Gypsum Concrete |
| C 473— <i>03</i> | Test Method for Physical Testing of Gypsum Panel Products |
| C 474—02 | Test Methods for Joint Treatment Materials for Gypsum Board |
| | Construction |
| C 475/C 475M—02 | Specification for Joint Compound and Joint Tape for Finishing |
| | Gypsum Wallboard |
| C 476—02 | Specification for Grout for Masonry |
| С 503—03 | Specification for Marble Dimension Stone (Exterior) |
| C 514—01 | Specification for Nails for the Application of Gypsum Board |
| C 516—02 | Specifications for Vermiculite Loose Fill Thermal Insulation |
| С 547—03 | Specification for Mineral Fiber Pipe Insulation |
| С 549—02 | Specification for Perlite Loose Fill Insulation |
| С 557—03 | Specification for Adhesives for Fastening Gypsum Wallboard to |
| | Wood Framing |
| С 568—03 | Specification for Limestone Dimension Stone |

| С 587—02 | Specification for Gypsum Veneer Plaster |
|----------------------|---|
| C 588/C 588M—03 | Specification for Gypsum Base for Veneer Plasters |
| C 595—03 | Specification for Blended Hydraulic Cements |
| C 595—05 C 615—03 | Specification for Granite Dimension Stone |
| | 1 |
| C 616—03 | Specification for Quartz-based Dimension Stone |
| C 618—03 | Specification for Coal Fly Ash and Raw or Calcined Natural |
| | Pozzolan for Use as a Mineral Admixture in Concrete |
| C 629—03 | Specification for Slate Dimension Stone |
| C 630/C 630M—03 | Specification for Water-resistant Gypsum Backing Board |
| C 631—95a (2000) | Specification for Bonding Compounds for Interior Gypsum Plastering |
| C 635—00 | Specification for the Manufacturer, Performance, and Testing of |
| | Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings |
| С 636—03 | Practice for Installation of Metal Ceiling Suspension Systems for |
| | Acoustical Tile and Lay-in Panels |
| C 645—04 | Specification for Nonstructural Steel Framing Members |
| С 652—04 | Specification for Hollow Brick (Hollow Masonry Units Made from |
| | Clay or Shale) |
| C 685/ C 685M—01 | Specification for Concrete Made by Volumetric Batching and |
| | Continuous Mixing |
| С 744—99 | Specification for Prefaced Concrete and Calcium Silicate Masonry |
| | Units |
| C 754—00 | Specification for Installation of Steel Framing Members to Receive |
| | Screw-attached Gypsum Panel Products |
| С 836—03 | Specification for High-solids Content, Cold Liquid-applied |
| | Elastomeric Waterproofing Membrane for Use with Separate |
| | Wearing Course |
| C 840—04 | Specification for Application and Finishing of Gypsum Board |
| C 841—03 | Specification for Installation of Interior Lathing and Furring |
| C 842—99 | Specification for Application of Interior Gypsum Plaster |
| C 843—99 <i>ɛ1</i> | Specification for Application of Gypsum Veneer Plaster Table |
| C 844—99 | Specification for Application of Gypsum Base to Receive Gypsum |
| | Veneer Plaster |
| C 845—96 | Specification for Expansive Hydraulic Cement |
| C 847—95 (2000) | Specification for Metal Lath |
| C 887—79a (2001) | Specification for Packaged, Dry Combined Materials for Surface |
| | Bonding Mortar |
| C 897—00 | Specification for Aggregate for Job-Mixed Portland Cement-Based |
| - | Plasters |
| C 926—98a | Specification for Application of Portland Cement Based-Plaster |
| C 931/C 931M—04 | Specification for Exterior Gypsum Soffit Board Table |
| C 932—03 | Specification for Surface-applied Bonding Agents for Exterior |
| | Plastering Table |
| | |

| C 933—96A (2001) | Specification for Welded Wire Lath |
|------------------|--|
| C 946—91 (2001) | Specification for Practice for Construction of Dry-stacked, Surface-bonded Walls |
| C 954—00 | Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in Thickness |
| C 955—03 | Specification for Load Bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster Bases |
| C 956—97(2002)ε1 | Specification for Installation of Cast-in-place Reinforced Gypsum Concrete |
| C 957—93 (1998) | Specification for High-solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane with Integral Wearing Surface |
| С 960/С 960М—04 | Specification for Predecorated Gypsum Board |
| C 989—04 | Specification for Ground Granulated Blast-furnace Slag for Use in Concrete and Mortars |
| C1002—01 | Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs |
| C1007—00 | Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories |
| C1019—03 | Test Method of Sampling and Testing Grout |
| C1029—02 | Specification for Spray-applied Rigid Cellular Polyurethane Thermal Insulation |
| C1032—96 (2002) | Specification for Woven Wire Plaster Base |
| C1047—99 | Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base |
| C1063—03 | Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement Based Plaster |
| C1088—04 | Specification for Thin Veneer Brick Units Made from Clay or Shale |
| C1157—03 | Performance Specification for Hydraulic Cement |
| C1167—03 | Specification for Clay Roof Tiles |
| C1177/C1177M—04 | Specification for Glass Mat Gypsum Substrate for Use as Sheathing |
| C1178/C1178M—04 | Specification for Glass Mat Water-resistant Gypsum Backing Panel |
| C1186—02 | Specification for Flat Nonasbestos Fiber Cement Sheets |
| C1218/ C1218M—99 | Test Method for Water-soluble Chloride in Mortar and Concrete |
| C1240—03a | Specification for Silica Fume for Use as a Mineral Admixture in Hydraulic-Cement Concrete, Mortar and Grout |
| C1261—04 | Specification for Firebox Brick for Residential Fireplaces |
| C1278/C 1278M—03 | Specification for Fiber-reinforced Gypsum Panels |
| C1280—99 | Specification for Application of Gypsum Sheathing |

C1395/1395M-04

C1283—03ɛ1 C1314—03b C1328—03a C1329—04

D 25—99ε1 D 41—94(2000)

D 43-00

D 56—02a D 86—04a D 93—02a

D 225-03

D 226—97a

D 227—03

D 312-00

| Practice for Installing Clay Flue Liners |
|---|
| Test Method for Compressive Strength of Masonry Prisms |
| Specification for Plastic (Stucco Cement) |
| Specification for Mortar Cement |
| Specification for Gypsum Ceiling Board |
| Specification for Round Timber Piles |
| Specification for Asphalt Primer Used in Roofing, Dampproofing |
| and Waterproofing |
| Coal Tar Primer Used in Roofing, Dampproofing and |
| Waterproofing |
| Test Method for Flash Point By Tag Closed Tester |
| Test Method for Distillation of Petroleum Products |
| Test Method for Flash Point By Pensky-Martens Closed Cup |
| Tester |
| Specification for Asphalt Shingles (Organic Felt) Surfaced with |
| Mineral Granules |
| Specification for Asphalt-Saturated Organic Felt Used in |
| Roofing and Waterproofing |
| Specification for Coal-tar-saturated Organic Felt Used in Roofing |
| and Waterproofing D 249-89 (1996) Specification for Asphalt |
| Roll Roofing (Organic Felt) Surfaced with Mineral Granules |
| |

Specification for Asphalt Used in Roofing

and Waterproofing

for Roofing

Soils

Protection

Test Method for Particle-size Analysis of Soils

Specification for Coal-tar Pitch Used in Roofing, Dampproofing

Specification for Emulsified Asphalt Used as a Protective Coating

Test Method for Laboratory Compaction Characteristics of Soil

Specification for Penetration Test and Split-barrel Sampling of

Specification for Mineral Aggregate Used on Built-up Roofs

Test Method for Determining Ignition Properties of Plastics Specification for Self-Adhering Polymer Modified Bituminous

Sheet Materials Used as Steep Roof Underlayment for Ice Dam

Test Method for Unconfined Compressive Strength of Cohesive

Using Modified Effort (56,000 ft-lb/ft³ (2,700 KN m/m³))

Test Method for Rate of Burning and/or Extent and Time of

Burning of Self-Supporting Plastics in a Horizontal Position Test Method for Piles Under Static Axial Compressive Load

D 422—63 (2002) D 450—96 (2000) $\varepsilon 1$ D 635—03 D1143—81 (1994) $\varepsilon 1$ D1227—95 (2000) D1557—02 $\varepsilon 1$ D1586—99 D1761—88 (2000) $\varepsilon 1$ D1863—03 D1929—96 (2001) $\varepsilon 1$ D1970—01

D2166-00D2178-97a

Soil Specification for Asphalt Glass Felt Used in Roofing and Waterproofing

Test Method for Mechanical Fasteners in Wood

| 4101:1-35-01.3 | 15 |
|------------------------|---|
| D2216—98 | Test Method for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass |
| D2487—00 | Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System) |
| D2626—97b | Specification for Asphalt Saturated and Coated Organic Felt Base Sheet Used in Roofing |
| D2822—91(1997)ɛl | Specification for Asphalt Roof Cement |
| D2823—90(1997)ɛl | Specification for Asphalt Roof Coatings |
| D2843—99 | Test for Density of Smoke from the Burning or Decomposition of Plastics |
| D2850—03a | Test Method for Unconsolidated, Undrained Triaxial Compression Test on Cohesive Soils |
| D2898—94 (1999) | Test Methods for Accelerated Weathering of Fire-Retardant- Treated Wood for Fire Testing |
| D3019-94(2000)ε1 | Specification for Lap Cement Used with Asphalt Roll Roofing, Nonfibered, Asbestos Fibered, and Nonasbestos Fibered |
| D3161—03b | Test Method for a Wind Resistance of Asphalt Shingles (Fan Induced Method) |
| D3201—94 <i>(2003)</i> | Test Method for Hygroscopic Properties of Fire-Retardant Treated Wood and Wood-base Products |
| D3278—96ɛ01 | Test Methods for Flash Point of Liquids by Small Scale Closed- Cup Apparatus |
| D3462—03a | Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules |
| D3468—99 | Specification for Liquid-applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing |
| D3679—04 | Specification for Rigid Poly [Vinyl Chloride (PVC) Siding] |
| D3689—90 (1995) | Method for Testing Individual Piles Under Static Axial Tensile Load |
| D3737—03 | Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam) |
| D3746—85 (2002) | Test Method for Impact Resistance of Bituminous Roofing Systems |
| D3747—79 (2000)ɛ1 | Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation |
| D3909—97b | Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules |
| D4022—94 (2000)ε1 | Specification for Coal Tar Roof Cement, Asbestos Containing |
| D4272—03 | Test Method for Total Energy Impact of Plastic Films by Dart Drop |
| D4318—00 | Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils |
| D4434—96 | Specification for Poly (Vinyl Chloride) Sheet Roofing |
| D4479—00 | Specification for Asphalt Roof Coatings - Asbestos-Free |

| D4586—00 | Specification for Asphalt Roof Cement, Asbestos-Free |
|----------------------|---|
| D4601—98 | Specification for Asphalt-Coated Glass Fiber Base Sheet Used in |
| D4627 02 | Roofing Specification for EDDM Sheet Used in Single nly Reef Membrane |
| D4637—03 D4829—03 | Specification for EPDM Sheet Used in Single-ply Roof Membrane |
| D4829—03 D4869—03 | Test Method for Expansion Index of Soils Specification for Agnhalt Saturated (Organia Falt) Underlayment |
| D4809—05 | Specification for Asphalt-Saturated (Organic Felt) Underlayment Used in Steep Slope Roofing |
| D4897—01 | Specification for Asphalt-Coated Glass Fiber Venting Base Sheet |
| | Used in Roofing |
| D4945—00 | Test Method for High-Strain Dynamic Testing of Piles P |
| D4990—97a | Specification for Coal Tar Glass Felt Used in Roofing and |
| | Waterproofing |
| D5019—96ε <i>1</i> | Specification for Reinforced Nonvulcanized Polymeric Sheet Used |
| | in Roofing Membrane |
| D5055—04 | Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-joists |
| D5456—03 | Specification for Evaluation of Structural Composite Lumber |
| | Products |
| D5516—03 | Test Method of Evaluating the Flexural Properties of Fire- |
| | Retardant Treated Softwood Plywood Exposed to the Elevated |
| | Temperatures |
| D5643—94 (2000)ε1 | Specification for Coal Tar Roof Cement, Asbestos-Free |
| D5664—02 | Test Methods for Evaluating the Effects of Fire-Retardant |
| | Treatment and Elevated Temperatures on Strength Properties of |
| | Fire-Retardant Treated Lumber |
| D5665—99a | Specification for Thermoplastic Fabrics Used in Cold-Applied |
| | Roofing and Waterproofing |
| D5726—98 | Specification for Thermoplastic Fabrics Used in Hot-Applied |
| | Roofing and Waterproofing |
| D6083—97a | Specification for Liquid Applied Acrylic Coating Used in Roofing |
| D6162—00A | Specification for Styrene Butadiene Styrene (SBS) Modified |
| | Bituminous Sheet Materials Using a Combination of Polyester and |
| | Glass Fiber Reinforcements |
| D6163—00 ε1 | Specification for Styrene Butadiene Styrene (SBS) Modified |
| | Bituminous Sheet Materials Using Glass Fiber Reinforcements |
| D6164—00 | Specification for Styrene Butadiene Styrene (SBS) Modified |
| | Bituminous Sheet Metal Materials Using Polyester Reinforcements |
| D6222—02 | Specification for Atactic Polypropylene (APP) Modified |
| | Bituminous Sheet Materials Using Polyester Reinforcements |
| D6223—02 | Specification for Atactic Polypropylene (APP) Modified |
| | BituminousSheet Materials Using a Combination of Polyester and |
| | Glass Fiber Reinforcements |
| D6298—00 | Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene |
| | (SBS) Modified Bituminous Sheets with a Factory Applied Metal |
| | |

| | Surface |
|------------------------|--|
| D6305—02ε1 | Practice for Calculating Bending Strength Design Adjustment |
| 00000 0201 | Factors for Fire-Retardant-Treated Plywood Roof Sheathing |
| D6380-03 | Specification for Asphalt Roll Roofing (Organic Felt) |
| E 84—04 | Test Methods for Surface Burning Characteristics of Building |
| L 04 07 | Materials |
| E 90— <i>02</i> | Test Method for Laboratory Measurement of Airborne Sound |
| E 90—02 | Transmission Loss of Building Partitions and Elements |
| $E 06 00 a^{1}$ | • |
| $E 96-00\varepsilon l$ | Test Method for Water Vapor Transmission of Materials |
| E 108—04 | Test Methods for Fire Tests of Roof Coverings |
| E 119—00a | Test Methods for Fire Tests of Building Construction and |
| E 126 04 | Materials Test Mathed for Dehavior of Materials in a Vartical Type Fyrman |
| E 136—04 | Test Method for Behavior of Materials in a Vertical Tube Furnace |
| E 220 02 | at 750°C |
| E 328—02 | Methods for Stress Relaxation for Materials and Structures |
| E 330— <i>02</i> | Test Method for Structural Performance of Exterior Windows, |
| | Curtain Walls, and Doors by Uniform Static Air Pressure |
| F 221 00 | Difference |
| E 331—00 | Test Method for Water Penetration of Exterior Windows, |
| | Skylights, Doors, and Curtain Walls by Uniform Static Air |
| | Pressure Difference |
| E 492—90 (1996)ɛ1 | Test Method for Laboratory Measurement of Impact Sound |
| | Transmission Through Floor-ceiling Assemblies Using the |
| | Tapping Machine |
| E 605—93 (2000) | Test Method for Thickness and Density of Sprayed Fire-resistive |
| | Material (SFRM) Applied to Structural Members |
| E 681—01 | Test Methods for Concentration Limits of Flammability of |
| | Chemical Vapors and Gases |
| E 736—00 | Test Method for Cohesion/Adhesion of Sprayed Fire-resistive |
| | Materials Applied to Structural Members |
| E 814—02 | Test Method of Fire Tests of Through-penetration Firestops |
| Е 970—00 | Test Method for Critical Radiant Flux of Exposed Attic Floor |
| | Insulation Using a Radiant Heat Energy Source |
| E1300— <i>03</i> | Practice for Determining Load Resistance of Glass in Buildings |
| E1592—01 | Test Method for Structural Performance of Sheet Metal Roof and |
| | Siding Systems by Uniform Static Air Pressure Difference |
| E1602—03 | Guide for Construction of Solid Fuel-Burning Masonry Heaters |
| E1886—04 | Test Method for Performance of Exterior Windows, Curtain Wall, |
| | Doors and Storm Shutters Impacted by Missiles and exposed to |
| | Cyclic Pressure Differentials |
| E1966—01 | Test Method for Fire-Resistant Joint Systems |
| E1996—04 | Specification for Performance of Exterior Windows, Glazed |
| | Curtain Walls, Doors and Storm Shutters Impacted by Windborne |
| | Debris in Hurricanes |
| | |

| 4101:1-35-01.3 | 18 |
|----------------------|--|
| F 547—01 | Terminology of Nails for Use with Wood and Wood-base |
| | Materials |
| F1346—91 (2003) | Performance Specification for Safety Covers and Labeling |
| | Requirements for All Covers for Swimming Pools, Spas and Hot |
| | Tubs |
| F1667—03 | Specification for Driven Fasteners: Nails, Spikes, and Staples |
| G 152—00aɛ1 | Practice for Operating Open Flame Carbon Arc Light Apparatus |
| | for Exposure of Nonmetallic Materials |
| G 154—00 <i>a</i> ε1 | Practice for Operating Fluorescent Light Apparatus for UV |
| | Exposure of Nonmetallic Materials |
| G 155—00aɛ1 | Practice for Operating Xenon Arc Light Apparatus for Exposure of |
| | Non-Metallic Materials |
| | |

American Wood-Preservers' Association P.O. Box 5690 Grandbury, TX 76049

AWPA

| AWIA | |
|-----------|--|
| Standard | |
| reference | |
| number | Title |
| C1—03 | All Timber Products—Preservative Treatment by Pressure Processes |
| C2—02 | Lumber, Timber, Bridge Ties and Mine Ties—Preservative Treatment by |
| | Pressure Processes |
| C3—03 | Piles—Preservative Treatment by Pressure Processes |
| C4—03 | Poles—Preservative Treatment by Pressure Processes |
| С9—03 | Plywood—Preservative Treatment by Pressure Processes |
| C14—03 | Wood for Highway Construction, Pressure Treatment by Pressure Process |
| C15—03 | Wood for Commercial-Residential Construction Preservative Treatment |
| | by Pressure Process |
| C16—03 | Wood Used on Farms, Pressure Treatment by Pressure Process |
| C18—03 | Standard for Pressure Treated Material in Marine Construction |
| C22—03 | Lumber and Plywood for Permanent Wood Foundations—Preservative |
| | Treatment by Pressure Processes |
| C23—03 | Round Poles and Posts Used in Building Construction—Preservative |
| | Treatment by Pressure Processes |
| C24—03 | Sawn Timber Piles Used to Support Residential and Commercial |
| | Structures |
| C28—03 | Standard for Preservative Treatment by Pressure Process of Structural |
| | Glued Laminated Members and Laminations before Gluing |
| C31—02 | Lumber Used Out of Contact with the Ground and Continuously Protected |
| | from Liquid Water—Treatment by Pressure Processes |
| C33—03 | Standard for Preservative Treatment of Structural Composite Lumber by Pressure Processes |
| | |

| M4—02 | Standard for the Care of Preservative-Treated Wood Products |
|----------|---|
| P1/13-01 | Standard for Creosote Preservative |
| P2-01 | Standard for Creosote Solutions |
| P3—01 | Standard for Creosote-Petroleum Solution |
| P5—02 | Standard for Waterborne Preservatives |
| P8—03 | Standard for Oil-borne Preservatives |
| P9—03 | Standard for Solvents and Formulations for Organic Preservative Systems |
| | |

American Welding Society 550 N.W. LeJeune Road Miami, FL 33126

| AWS | |
|-----------|---|
| Standard | |
| reference | |
| number | Title |
| D1.1—04 | Structural Welding Code—Steel |
| D1.3—98 | Structural Welding Code—Sheet Steel |
| D1.4—98 | Structural Welding Code—Reinforcing Steel |

Builders Hardware Manufacturers' Association 355 Lexington Avenue, 17th Floor New York, NY 10017-6603

BHMA

| Standard reference | |
|-----------------------|---|
| number | Title |
| A 156.10—99 | American National Standard for Power Operated Pedestrian Doors |
| A 156.19—02 | American National Standard for Power Assist and Low Energy Operated Doors |
| | 10013 |

Canadian General Standards Board 222 Queens Street 14th Floor, Suite 1402 Ottawa, Ontario, Canada KIA 1G6

| CGSB Standard reference | |
|-------------------------------|--|
| number | Title |
| 37-GP-52M (1984) | Roofing and Waterproofing Membrane, Sheet Applied, Elastomeric |
| CAN/CGSB 37.54—95 | Polyvinyl Chloride Roofing and Waterproofing Membrane |

37-GP-56M (1980)

Membrane, Modified, Bituminous, Prefabricated, and Reinforced for Roofing—with December 1985 Amendment

Consumer Product Safety Commission 4330 East West Highway Bethesda, MD 20814-4408

CPSC

| Standard reference | |
|----------------------------|--|
| number | Title |
| 16 CFR Part 1201(1977) | Safety Standard for Architectural Glazing Material |
| 16 CFR Part 1209 (1979) | Interim Safety Standard for Cellulose Insulation |
| 16 CFR Part 1404 (1979) | Cellulose Insulation |
| 16 CFR Part 1500 (1991) | Hazardous Substances and Articles; Administration and Enforcement Regulations |
| 16 CFR Part 1500.44 (2001) | Method for Determining Extremely Flammable and Flammable Solids |
| 16 CFR Part 1507 (2001) | Fireworks Devices |
| 16 CFR Part 1630 (2000) | Standard for the Surface Flammability of Carpets and Rugs |

Cedar Shake and Shingle Bureau P.O. Box 1178 Sumas, WA 98295-1178

CSSB Standard reference

| reference | |
|-----------|--|
| number | Title |
| CSSB—97 | Grading and Packing Rules for Western Red Cedar Shakes and Western |
| | Red Shingles of the Cedar Shake and Shingle Bureau |

Door and Access Systems Manufacturers Association International 1300 Summer Avenue Cleveland, OH 44115-2851

| DASMA | |
|-----------|--|
| Standard | |
| reference | |
| number | Title |
| 107—97 | Room Fire Test Standard for Garage Doors Using Foam Plastic Insulation |

U.S. Department of Commerce

National Institute of Standards and Technology

100 Bureau Drive Stop 3460 Gaithersburg, MD 20899

DOC

StandardreferencenumberTitlePS-1—95 (2002)Construction and Industrial PlywoodPS-2—92 (2002)Performance Standard for Wood-based Structural-use PanelsPS 20—99American Softwood Lumber Standard

U.S. Department of Labor c/o Superintendent of Documents U.S. Government Printing Office Washington, DC 20402-9325

DOLStandardreferencenumberTitle29 CFR Part 1910.1000 (1974)Air Co

Air Contaminants

U.S. Department of Transportation c/o Superintendent of Documents U.S. Government Printing Office Washington, DC 20402-9325

| DOTn Standard reference | |
|-------------------------------|---|
| number | Title |
| 49 CFR Part 172 (2000) | Hazardous Materials Tables, Special Provisions, Hazardous |
| | Materials Communications, Emergency Response |
| | Information and Training Requirements |
| 49 CFR Parts 173 (2002) | Specification of Transportation of Explosive and Other |
| | Dangerous Articles, UN 0335, UN 0336 Shipping |
| | Containers |
| | |

Federal Emergency Management Agency Federal Center Plaza 500 C Street S.W. Washington, DC 20472

FEMA

| Standard reference | |
|--------------------|---|
| number | Title |
| Pub 302 | NEHRP Recommended Provisions for Seismic Regulations for New |
| | Buildings and Other Structures |
| TB11-01 | Crawlspace Construction for Buildings Located in Special Flood Hazard |
| | Areas |

Factory Mutual Standards Laboratories Department 1151 Boston-Providence Turnpike Norwood, MA 02062

FM

| Standard reference | |
|----------------------------|---|
| number | Title |
| 4450 (1989) | Approval Standard for Class 1 Insulated Steel Deck Roofs—with Supplements thru 7/92 |
| 4470 (1992) 4880 (2001) | Approval Standard for Class 1 Roof Covers American National Standard for Evaluating Insulated Wall or Wall and Roof/Ceiling Assemblies, Plastic Interior Finish Materials, Plastic Exterior Building Panels, Wall/Ceiling Coating Systems, Interior and Exterior Finish Systems |

Gypsum Association 810 First Street N.E. #510 Washington, DC 20002-4268

GA

| Standard | |
|-------------------|---|
| reference | |
| number | Title |
| GA 216—00 | Application and Finishing of Gypsum Board Table |
| GA 600— <i>03</i> | Fire-resistance Design Manual, 17 th Edition |

Hardwood Plywood Veneer Association 1825 Michael Faraday Drive Reston, VA 20190-5350

HPVA Standard reference number Title

HP-1—2000 The American National Standard for Hardwood and Decorative Plywood

International Code Council 5203 Leesburg Pike, Suite 600 Falls Church, VA 22041

ICC Standard reference number Title ICC/ANSI A117.1—03 Accessible and Usable Buildings and Facilities ICC 300-02 ICC Standard on Bleachers, Folding and Telescopic Seating, and Grandstands IECC-03 International Energy Conservation Code® IFC-03 International Fire Code® IFGC-03 International Fuel Gas Code®

National Association of Architectural Metal Manufacturers 8 South Michigan Ave Chicago, IL 60603

NAAMM Standard reference number Title FP 1001—97 Guide Specifications for Design of Metal Flag Poles

National Concrete Masonry Association 2302 Horse Pen Road Herndon, VA 22071-3499

NCMA Standard reference number Title TEK 5-8A (1996) Details for Concrete Masonry Fire Walls

National Fire Protection Association 1 Batterymarch Park Quincy, MA 02269-9101

NFPA Standard reference

| number | Title |
|--------------------------------|---|
| 11—02 | Low Expansion Foam |
| 11A—99 | Medium- and High-expansion Foam Systems |
| 12—00 | Carbon Dioxide Extinguishing Systems |
| 12A—04 | Halon 1301 Fire Extinguishing Systems |
| 13—02 | Installation of Sprinkler Systems, |
| 13D—02 | Installation of Sprinkler Systems in One- and Two-family Dwellings and Manufactured Homes |
| 13R— <i>02</i> | Installation of Sprinkler Systems in Residential Occupancies Up to and |
| 13K-02 | Including Four Stories in Height |
| 14—03 | Installation of Standpipe, Private Hydrants and Hose System |
| 16-03 | |
| 17-02 | Installation Foam-Water Sprinkler and Foam-Water Spray Systems |
| 17—02 17A—02 | Dry Chemical Extinguishing Systems Wet Chemical Extinguishing Systems |
| 20-03 | Installation of Stationary Pumps for Fire Protection |
| 30-03 | |
| 32-00 | Flammable and Combustible Liquids Code Drycleaning Plants |
| 40-01 | , , |
| 40— <i>01</i> 61— <i>02</i> | Storage and Handling of Cellulose Nitrate Motion Picture Film Prevention of Fires and Dust Explosions in Agricultural and Food Product |
| 01—02 | Facilities |
| 70—05 | National Electric Code (including TIA 05-2) |
| 72—02 | National Fire Alarm Code |
| 80—99 | Fire Doors and Fire Windows |
| 85—04 | Boiler and Combustion System Hazards Code (Note: NFPA 8503 has been incorporated into NFPA 85) |
| 110—02 | Emergency and Standby Power Systems |
| 111-01 | Stored Electrical Energy Emergency and Standby Power Systems |
| 120—99 | Coal Preparation Plants |
| 230-03 | Standard for the Fire Protection of Storage |
| 252-03 | Standard Methods of Fire Tests of Door Assemblies |
| 252-00 | Test for Critical Radiant Flux of Floor Covering Systems Using a Radiant |
| 200 00 | Heat Energy Source |
| 257—00 | Standard for Fire Test for Window and Glass Block Assemblies |
| 259—03 | Test Method for Potential Heat of Building Materials |
| 265-02 | Standard Method of Fire Tests for Evaluating Room Fire Growth |
| | Contribution of Textile Wall Coverings |
| 268—01 | Standard Test Method for Determining Ignitibility of Exterior Wall |
| 200 01 | Assemblies Using a Radiant Heat Energy Source |
| 285—98 | Standard Method of Test for the Evaluation of Flammability |
| 200 90 | Characteristics of Exterior Non-load-bearing Wall Assemblies Containing |
| | Combustible Components |
| 286—00 | Standard Method of Fire Test for Evaluating Contribution of Wall and |
| | Ceiling Interior Finish to Room Fire Growth |
| 409—01 | Standard on Aircraft Hangers |

| 418-01 | Standard for Heliports |
|---------|--|
| 484-02 | Standard for Combustible Metals, Metal Powders, and Metal Dusts |
| 654—00 | Prevention of Fire & Dust Explosions from the Manufacturing, |
| | Processing, and Handling of Combustible Particulate Solids |
| 655—01 | Prevention of Sulfur Fires and Explosions |
| 664—02 | Prevention of Fires Explosions in Wood Processing and Woodworking |
| | Facilities |
| 701—99 | Standard Methods of Fire Tests for Flame-Propagation of Textiles and |
| | Films |
| 704—01 | Standard System for the Identification of the Hazards of Materials for |
| | Emergency Response |
| 1124—03 | Manufacture, Transportation, and Storage of Fireworks and Pyrotechnic |
| | Articles |
| 2001-04 | Clean Agent Fire Extinguishing Systems |
| | |

National Institute of Standards and Technology U.S. Department of Commerce 100 Bureau Dr. — Stop 3460 Gaithersburg, MD 20899-3460

NIST

| Standard reference | |
|-----------------------|---|
| number | Title |
| BMS 71—41 | Fire Tests of Wood and Metal-framed Partitions |
| TRBM-44—46 | Fire-resistance and Sound-insulation Ratings for Walls, Partitions and Floors |

Precast Prestressed Concrete Institute 175 W. Jackson Boulevard, Suite 1859 Chicago, IL 60604-9773

PCI

| Standard reference | |
|-----------------------|---|
| number | Title |
| MNL 124—89 | Design for Fire Resistance of Precast Prestressed Concrete |
| MNL 128—01 | Recommended Practice for Glass Fiber Reinforced Concrete Panels |

Post-Tensioning Institute 1717 W. Northern Avenue, Suite 114 Phoenix, AZ 85021

PTI

| Standard reference | |
|-----------------------|--|
| number | Title |
| PTI 1996 | Design and Construction of Post-tensioned Slabs-on-ground, 2nd Edition |

Rack Manufacturers Institute 8720 Red Oak Boulevard, Suite 201 Charlotte, NC 28217

RMI

StandardreferencenumberTitleRMI (2002)Design, Testing and Utilization of Industrial Steel Storage Racks

Steel Joist Institute 3127 10th Avenue, North Myrtle Beach, SC 29577-6760

SJI

Standard
referenceTitleNumberTitleSJI—2002Standard Specification for Joist GirdersK-Series Specification—1994Standard Specification for Open Web Steel Joists, K SeriesSJI—2000Standard Specification for Longspan Steel Joists, LH Series
and Deep Longspan Steel Joists, DLH Series

Single-Ply Roofing Institute 77 Rumford Ave. Suite 3-B Walthem, MA 02453

SPRI

| Standard reference | |
|-----------------------|---|
| number | Title |
| ES-1—03 | Wind Design Standard for Edge Systems Used with Low Slope Roofing |
| | Systems |
| RP-4—02 | Wind Design Guide for Ballasted Single-ply Roofing Systems |

Telecommunications Industry Association 2500 Wilson Boulevard Arlington, VA 22201-3834

TIA Standard reference number Title TIA/EIA-222-F—96 Structural Standards for Steel Antenna Towers and Antenna Supporting Structures

The Masonry Society 3970 Broadway, Unit 201-D Boulder, CO 80304-1135

TMS

| Standard reference number | Title |
|---------------------------------|---|
| 0216—97 | Standard Method for Determining Fire Resistance of Concrete and |
| | Masonry Construction Assemblies Table |
| 402—02 | Building Code Requirements for Masonry Structures |
| 602—02 | Specification for Masonry Structures |

Truss Plate Institute 583 D'Onofrio Drive, Suite 200 Madison, WI 53719

TPI

| Standard reference | |
|-----------------------|--|
| number | Title |
| ANSI/TPI 1-2002 | National Design Standards for Metal-Plate-Connected Wood Truss |
| | Construction |

Underwriters Laboratories 333 Pfingsten Road Northbrook, IL 60062-2096

| UL Standard reference number | Title |
|---------------------------------------|---|
| 10A—98 | Tin Clad Fire Doors—with Revisions through July, 1998 |
| 10B—97 | Fire Tests of Door Assemblies |
| 10C—98 | Positive Pressure Fire Tests of Door Assemblies—with Revisions thru |
| | November, 2001 |

| 14B—98 | Sliding Hardware for Standard Horizontally Mounted Tin Clad Fire Doors—with Revisions through July, 2000 |
|-----------------|---|
| 14C—99 | Swinging Hardware for Standard Tin Clad Fire Doors Mounted Singly and in Pairs |
| 103—01 | Factory-Built Chimneys, for Residential Type and Building Heating Appliances |
| 127—99 | Factory-Built Fireplaces |
| 268—96 | Smoke Detectors for Fire Protective Signaling Systems—with Revisions through January, 1999 |
| 300—96 | Fire Testing of Fire Extinguishing Systems for Protection of Restaurant Cooking Areas —with Revisions through December, 1998 |
| 555—99 | Fire Dampers—with Revisions through October, 2000 |
| 555C—96 | Ceiling Dampers |
| 555S—99 | Smoke Dampers |
| 580—94 | Test for Uplift Resistance of Roof Assemblies—with Revisions through |
| | February, 1998 |
| 641—95 | Type L Low-Temperature Venting Systems—with Revisions through |
| | April, 1999 |
| 790—97 | Tests for Fire Resistance of Roof Covering Materials—with Revisions |
| | through July, 1998 |
| 864—03 | Control Units for Fire Protective Signaling Systems |
| 1040—96 | Fire Test of Insulated Wall Construction—with Revisions thru April, 2001 |
| 1256—02 | Fire Test of Roof Deck Construction |
| 1479— <i>03</i> | Fire Tests of Through-Penetration Firestops |
| 1715—97 | Fire Test of Interior Finish Material |
| 1777—04 | Chimney Liners |
| 1784—01 | Air Leakage Tests of Door Assemblies |
| 1897—04 | Uplift Tests for Roof Covering Systems |
| 1975—96 | Fire Test of Foamed Plastics Used for Decorative Purposes |
| 2079—98 | Tests for Fire Resistance of Building Joint Systems |
| 2200—98 | Stationary Engine Generator Assemblies |

Underwriters Laboratories of Canada 7 Crouse Road Scarborough, Ontario, Canada M1R3A9

| ULC Standard reference | |
|------------------------------|---|
| number | Title |
| S102.2—03 | Standard Method of Test for Surface Burning Characteristics of Floor Coverings, and Miscellaneous Materials and Assemblies |

United States Code

c/o Superintendent of Documents U.S. Government Printing Office Washington, DC 20402-9325

USC Standard reference number 18 USC Part 1, Ch.40

Title Importation, Manufacture, Distribution and Storage of Explosive Materials – *Updated 4/26/02*

Window and Door Manufacturers Association 1400 East Touhy Avenue #470 Des Plaines, IL 60018

WDMA

Standard reference number AAMA/NWWDA101/I.S.2—97

Title

Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors Voluntary Performance Specification for Window, Skylights and Glass Doors

AAMA/NWWDA101/I.S.2/NAFS-02

Wire Reinforcement Institute, Inc. 203 Loudon Street, S.W. 2nd Floor, Suite 203C Leesburg, VA 22075

WRI Standard reference number Title WRI/CRSI—96 Design of Slab-on-ground Foundations

| Effective: | 07/01/2007 |
|----------------------------|------------|
| R.C. 119.032 review dates: | 09/28/2006 |

CERTIFIED ELECTRONICALLY

Certification

12/21/2006

Date

Promulgated Under: Statutory Authority: Rule Amplifies: Prior Effective Dates: 119.03 3781.10(A) 3781.10, 3781.11, 3791.04 9/1/92, 2/1/93, 7/1/95, 7/1/97, 3/1/98, 7/1/98, 1/1/99, 12/1/00, 1/1/02, 3/1/05, 9/6/05, 3/1/06