4715-10-03 Application for permit to practice under oral health access supervision program dentist authorization; Dental hygienist.

- (A) No licensed dental hygienist shall participate in the oral health access supervision program as provided in sections 4715.36 through 4715.374 of the Revised Code, unless such dental hygienist possesses a permit issued by the Ohio state dental board.
- (B) In order to receive such a permit, the licensed dental hygienist shall apply on a form prescribed and provided by the state dental board, submit the application fee of twenty dollars, and provide the following information:
 - (1) Dental hygienist's name;
 - (2) Ohio license number; and
 - (3) Other information required by the board.
- (C) The applicant shall provide evidence satisfactory to the board that the applicant has done all of the following:
 - (1) Completed at least two years and attained a minimum of three thousand hours of experience in the clinical practice of dental hygiene;
 - (2) Completed at least twenty-four hours of continuing dental hygiene education during the two years immediately preceding submission of the application;
 - (3) Completed a course pertaining to the practice of dental hygiene under the oral health access supervision of a dentist that meets standards established in rule 4715-9-06.1 of the Administrative Code;
 - (4) Completed, during the two years immediately preceding application, a course pertaining to the identification and prevention of potential medical emergencies that is the same as the course described in division (C)(2) of section 4715.22 of the Revised Code.
- (D) The state dental board shall issue a permit to practice under the oral health access supervision of a dentist to a dental hygienist who is in good standing with the board and meets all of the requirements of paragraphs (B) and (C) of this rule.

4715-10-03 2

Effective:	
R.C. 119.032 review dates:	
Certification	
Date	

Promulgated Under: Statutory Authority: Rule Amplifies: 119.03

4715.03, 4715.363, 4715.372 4715.363, 4715.364