

4715-11-02.1 **Monitoring nitrous oxide-oxygen (N₂O-O₂) minimal sedation; education, training and examination required.**

Each dental auxiliary seeking to monitor nitrous oxide-oxygen (N₂O-O₂) minimal sedation in accordance with rule 4715-11-02 of the Administrative Code must have completed a basic life-support training course certified by the American heart association, the American red cross, or the American safety and health institute, and remain current at all times when monitoring N₂O-O₂ minimal sedation. In order to monitor N₂O-O₂ minimal sedation the dental auxiliary must have completed the requirements set forth in paragraph (A) or (B) of this rule.

(A) The dental auxiliary has successfully completed a six-hour course in N₂O-O₂ minimal sedation monitoring. The course must be taken through a permanent sponsor and shall, at a minimum, include the following:

- (1) The history, philosophy and psychology of N₂O-O₂ minimal sedation
- (2) Definition and descriptions of the physiological and psychological aspects of pain and anxiety
- (3) Concepts and management of pain and anxiety
- (4) Indications and contraindications for N₂O-O₂ minimal sedation
- (5) Anatomy and physiology of respiration
- (6) Medical assessment of the patient prior to administration of N₂O-O₂ minimal sedation
- (7) Moderate and deep sedation/general anesthesia versus minimal sedation
- (8) Pharmacological and physiological effects of nitrous oxide
- (9) A description of the stages of drug induced central nervous system depression through all levels of consciousness and unconsciousness with special emphasis on the distinction between the conscious and unconscious state
- (10) Monitoring of N₂O-O₂ minimal sedation
- (11) Management of complications and medical emergencies
- (12) Legal and ethical considerations
- (13) Occupational exposure

- (14) Successful completion of a written examination, provided by the board-approved permanent sponsor.
- (B) A dental auxiliary shall be exempt from the six-hour course and the examination requirements provided in paragraph (A) of this rule for either of the following:
- (1) The dental auxiliary holds a current license, certificate, permit, registration, or other credential issued by another state for the monitoring of N₂O-O₂ minimal sedation if the training received is substantially equivalent, as determined by the board, to the required hours, content and examination requirements of the course described in paragraph (A) of this rule.
 - (2) The dental auxiliary graduated on or after January 1, 2015 from a commission on dental accreditation approved program and has completed the equivalent training within the curriculum.

Completion of basic life-support and all education and examination requirements for the monitoring of N₂O-O₂ minimal sedation shall be documented on a form supplied by the board, with any necessary supporting information attached. This form shall be maintained in the facility(s) where the dental auxiliary is working. The board retains the right and authority, upon notification, to audit, monitor or request evidence demonstrating adherence to Chapter 4715. of the Revised Code and/or agency 4715 of the Administrative Code.

Five Year Review (FYR) Dates: 10/1/2021 and 10/01/2026

CERTIFIED ELECTRONICALLY

Certification

10/01/2021

Date

Promulgated Under: 119.03
Statutory Authority: 4715.39
Rule Amplifies: 4715.39
Prior Effective Dates: 12/24/2010, 09/12/2016