

4715-11-02

Basic qualified personnel; functions.

- (A) Basic qualified personnel must be trained directly via an employer/dentist, via in-office training, and/or via a planned sequence of instruction in an educational institution.
- (B) Under the direct supervision of the licensed dentist, the basic qualified personnel may perform basic remediable intra-oral and extra-oral tasks and/or procedures including the following, but do not include any advanced remediable intra-oral tasks and/or procedures as defined in rule 4715-11-04 of the Administrative Code.
- (1) Aspiration and retraction, excluding placement of gingival retraction materials.
 - (2) Intra-oral instrument transfer.
 - (3) Preliminary charting of missing and filled teeth.
 - (4) Elastomeric impressions for diagnostic models and models to be used for opposing models in the construction of appliances and restorations.
 - (5) Taking impressions for the construction of custom athletic mouth protectors/mouthguards, and trays for application of medicaments.
 - (6) Application of disclosing solutions.
 - (7) Caries susceptibility and detection~~testing~~.
 - (8) Periodontal susceptibility and detection (excluding procedures that enter the gingival sulcus: eg. periodontal probing paper points).
 - ~~(8)~~(9) Demonstration of oral hygiene procedures, including, but not limited to, use of toothbrushes and dental floss.
 - ~~(9)~~(10) Shade selection for fabrication of appliances or restorations.
 - ~~(10)~~(11) Application of topical anesthetics.
 - ~~(11)~~(12) Pulp testing.
 - ~~(12)~~(13) Fluoride application.

- ~~(13)~~(14) Topical applications of desensitizing agents to teeth.
- ~~(14)~~(15) Application and removal of periodontal dressings.
- ~~(15)~~(16) Suture removal.
- ~~(16)~~(17) Placement of rubber dam over preplaced clamp, and removal of clamp and rubber dam.
- ~~(17)~~(18) Application of cavity varnish.
- ~~(18)~~(19) Impression, fabrication, cementation and removal of provisional restorations, not to include palliative or sedative restorations.
- ~~(19)~~(20) Preliminary selection and sizing of stainless steel crowns.
- ~~(20)~~(21) Preliminary selection and sizing of orthodontic bands and arch wires.
- ~~(21)~~(22) Checking for and removal of loose orthodontic bands and loose brackets.
- ~~(22)~~(23) Intra-oral bite registrations for diagnostic model articulation, restorations, and appliances.
- ~~(23)~~(24) Irrigation and drying of canals during endodontic procedures.
- ~~(24)~~(25) Placement of medication in the pulp chamber(s) of teeth with non-vital pulp or instrumented root canals.
- ~~(25)~~(26) Placement and removal of surgical dressings.
- ~~(26)~~(27) Placement and removal of orthodontic arch wires, auxiliary arch wires, and ligation of same to orthodontic bands and/or brackets.
- ~~(27)~~(28) Placement and removal of orthodontic separators and ties.
- ~~(28)~~(29) Polymerization of light-activated restorative or bonding materials.
- ~~(29)~~(30) All supportive services necessary to the maintenance of a hygienic practice environment, including, but not limited to, all sterilizing procedures.

~~(30)~~(31) All supportive services or procedures necessary to protect the physical well-being of the patient during routine treatment procedures and during periods of emergencies, including, but not limited to:

- (a) Physical positioning of the patient;
- (b) Monitoring of vital signs;
- (c) Assistance during administration of life-support activities; and
- (d) Any other non-invasive procedures deemed necessary by the supervising dentist to maintain the health and safety of the patient.

~~(31)~~(32) All non-invasive supportive services and procedures necessary to the gathering and maintaining of accurate and complete medical and dental history of the patient, including, but not limited to:

- (a) Taking photographs;
- (b) Recording patient treatment;
- (c) Measurement of blood pressure and body temperature; and
- (d) Other common tests deemed necessary by the supervising dentist.

~~(32)~~(33) All extra-oral supportive laboratory procedures, including, but not limited to:

- (a) Repair, construction and finishing of metallic and plastic prosthetic devices; and
- (b) Compilation of radiographic data for interpretation by the dentist, i.e., tracings, etc.

~~(33)~~(34) The preparation of materials, drugs and medications for use in dental procedures, including, but not limited to:

- (a) Palliative materials;

(b) Impression materials; and

(c) Restorative materials.

~~(34)~~(35) All patient education services, including, but not limited to:

(a) Progress reports;

(b) Consultations (oral or written);

(c) Oral hygiene instructions;

(d) Use of intra-oral hygiene devices;

(e) Normal nutrition information as it relates to dental health;

(f) Behavioral modification;

(g) Self adjustment of orthodontic appliances; and

(h) All other post-operative and post-insertion instructions, as deemed appropriate by the supervising dentist.

~~(35)~~(36) All non-invasive supportive services normally utilized in conjunction with the treatment by the dentist of fascia pain or TMJ syndrome.

~~(36)~~(37) Preparing the teeth for restorations or for the bonding of orthodontic brackets by treating the supragingival coronal surfaces of the teeth to be bonded with a conditioning or etching agent and by the placement of a bonding agent adhesive.

~~(37)~~(38) Impressions for removable or fixed orthodontic appliances.

~~(38)~~(39) Nitrous oxide-oxygen (N₂O-O₂) minimal sedation monitoring - A dental assistant may monitor N₂O-O₂ minimal sedation as defined in rule 4715-3-01 of the Administrative Code if all of the following requirements are met:

(a) The dental assistant must be at least eighteen years of age.

- (b) The dental assistant has at least two years and three thousand hours of experience in the practice of dental assisting.
- (c) The dental assistant has completed a basic life-support training course certified by the American heart association, the American red cross, or the American safety and health institute, and remains current at all times when monitoring N₂O-O₂ minimal sedation.
- (d) The dental assistant has successfully completed a six-hour course in N₂O-O₂ minimal sedation monitoring as defined in rule 4715-11-02.1 of the Administrative Code. A certificate, documenting successful completion of the course, must be provided to the dental assistant by the permanent sponsor within ten days. This original certificate or a copy must be maintained in the office(s) wherein the dental assistant is employed. The course must be taken through a permanent sponsor.
- (e) Under no circumstances may the dental assistant administer, adjust, or terminate N₂O-O₂ minimal sedation.
- (f) The dental assistant shall not monitor more than one patient at a time.
- (g) The dental assistant shall physically remain with the patient at all times.
- (h) The supervising dentist approves discharge of the patient.
- (i) Nothing in this rule shall be construed to allow the dental assistant to administer N₂O-O₂ minimal sedation.

Effective:

R.C. 119.032 review dates: 01/03/2014

WITHDRAWN ELECTRONICALLY

Certification

02/04/2014

Date

Promulgated Under: 119.03
Statutory Authority: 4715.39
Rule Amplifies: 4715.39
Prior Effective Dates: 4-5-77, 4-7-00, 4-12-02, 6-21-04, 4-7-05, 7-6-06,
5-22-09, 12-24-10