4766-4-09 **Maintenance documentation.**

(A) MoICU and non-transport vehicles

- (1) (1) All licensed MTOs shall ensure performance and maintain documentation of all periodical maintenance and repairs on each permitted vehicle to include:
 - (a) Date of service or repair;
 - (b) Description of service/repair performed;
 - (c) Name of person who performed service/repair.
- (2) Out of service permitted MoICU(s) or non-transport vehicle(s)
 - (a) If a licensed MTO removes a permitted MoICU or non-transport vehicle from service it shall place an "out of service" sign in the permitted MoICU or non-transport vehicle to be visible through the windshield with the following information included on the front of the sign:
 - (i) Date permitted MoICU or non-transport vehicle was taken out of service;
 - (ii) Odometer reading at time permitted MoICU or non-transport vehicle was taken out of service;
 - (iii) Reason permitted MoICU or non-transport vehicle was taken out of service;
 - (iv) Printed name and signature of person responsible for taking permitted vehicle out of service;
 - (v) The words "out of service" utilizing not less than three inch lettering.
- (3) If permitted MoICU or non-transport vehicle is at a repair/maintenance shop that is not owned or operated by the licensed MTO for maintenance purposes, no "out of service" sign is required.

(B) Bio-Medical Equipment

- (1) All licensed MTOs shall ensure performance and maintain documentation of all periodical maintenance and repairs of bio-medical equipment as required by manufacturer and/or food and drug administration including but not limited to the following:
 - (a) Date of last bio-medical inspection;

<u>4766-4-09</u>

- (b) Date of service or repair;
- (c) Description of service/repair performed;
- (d) Name of person who performed inspection, service, or repair;
- (e) Documentation, if any, of inspection, service, or repair performed.
- (C) All licensed MTOs shall maintain documentation of all periodical maintenance as required by the original equipment manufacturer.
- (D) MoICU and non-transport vehicle maintenance/repair records shall be kept for a period of twelve months after the vehicle is removed from inventory.

4766-4-09 3

Effective:
R.C. 119.032 review dates:
Certification

Promulgated Under: Statutory Authority: Rule Amplifies: 119.03 4766.03

4766.04, 4766.07