3701-17-22 General building and sanitation requirements; overhead paging Building, plumbing, and sanitation standards.

- (A) The building or buildings in which a nursing home is located shall-will be in compliance with the applicable provisions of the Ohio building code and shall-have a certificate of use issued by the appropriate building authority.
- (B) All plumbing shall-will be so installed and maintained as to be free of leakage and odors and as to reasonably insureensure adequate health and safety protection. Plumbing fixtures in nursing homes or additions to nursing homes constructed, erected, altered or relocated after September 10, 1984, and plumbing fixtures in buildings converted into nursing homes after September 10, 1984, shall-will conform to the applicable provisions of the Ohio building code.
- (C) Lavatories, bathing facilities, and shower facilities shall will be supplied with hot and cold running water and shall be regulated by approved devices for temperature control. The hot water temperature in areas used by residents shall will be a minimum of one hundred five degrees Fahrenheit and not exceed one hundred and twenty degrees Fahrenheit.
- (D) The nursing home's water supply shall will be adequate in quantity and of suitable chemical and bacteriological quality for drinking, culinary, and cleaning purposes. The water supply for a nursing home shall will be taken from a public supply, if available. If from a source of supply other than a public supply, the water supply shall will comply with all applicable local and state regulations regarding the construction, development, installation, alteration, and use of private water systems.
- (E) All liquid wastes from nursing homes shall will be discharged into a public sanitary sewerage system, if available. Where not available, such wastes shall will be discharged into a sewage disposal system that meets all applicable local and state regulations regarding the construction, development, installation, alteration, and use of private household sewage disposal systems. The nursing home shall will properly maintain its sewage disposal system in good, safe working condition.
- (F) Heating, cooling, electrical, and other building service equipment shall will be maintained in good working and safe condition.
- (G) The buildings and grounds shall will be maintained in a clean and orderly manner.
- (H) All garbage and other refuse shall will be disposed of immediately after production, or shall be stored in leak-proof containers with tight fitting covers until time of disposal, and all wastes shall are to be disposed of in a satisfactory manner.

3701-17-22

(I) Adequate measures shall will be taken to prevent the entrance of insects, rodents, and pests into any building used for a nursing home or part thereof and to prevent their infestation of the premises. Extermination of pests should be considered urgent and remediation is obligated to commence as soon as possible

- (J) The extermination of insects, rodents, and pests shall-will be done in such a manner as not to create a fire or health hazard.
- (K) Beginning July 1, 2015, each nursing home shall prohibit the use of overhead paging within the nursing home, except that the nursing home may permit the use of overhead paging for matters of urgent public safety or urgent clinical operations. The nursing home shall develop a written policy regarding its use of overhead paging and make the policy available to staff, residents, and residents' families.

3701-17-22

Effective: 7/17/2025

Five Year Review (FYR) Dates: 4/25/2025 and 07/17/2030

CERTIFIED ELECTRONICALLY

Certification

07/07/2025

Date

Promulgated Under: 119.03 Statutory Authority: 3721.04 Rule Amplifies: 3721.04

Prior Effective Dates: 05/02/1966, 07/01/1973, 09/10/1984, 12/21/1992,

10/20/2001, 04/01/2012, 12/08/2014