## Appendix A to rule 5160-1-18

## Eligible telehealth services

Dental	
Procedure Code	Description
D0140	Limited oral evaluation – problem focused
D0120	Periodic oral evaluation
D9995	Teledentistry - synchronous; real-time encounter; Reported in addition to other procedures (e.g., diagnostic) delivered to the patient on the date of service.

Long Term Services and Supports:	
Hospice, Private Duty Nursing, State Plan Home Health	
Procedure Code	Description
T2042	Hospice routine home care; per diem
T2043	Hospice continuous home care; per hour
T2046	Hospice long-term care, room and board only; per diem
G0299	Direct skilled nursing services of a registered nurse (RN) in the home health or hospice setting, each 15 minutes
G0155	Services of clinical social worker in home health or hospice settings, each 15 minutes
G0156	Services of home health/hospice aide in home health or hospice settings, each 15 minutes
G0300	Direct skilled nursing services of a licensed practical nurse (LPN) in the home health or hospice setting, each 15 minutes
T1001	RN Assessment Services prior to the provision of home health, private duty nursing, waiver nursing, personal care aide and home choice services, per initial base, and each 15-minute increment
T1001 U9	RN Consultation
G0151	Physical Therapy
G0152	Occupational Therapy
G0153	Speech-language Pathology

Medical and Behavioral Health Services (non OhioMHAS certified providers)	
Procedure Code	Description
90785	Interactive complexity
90791	Psychiatric diagnostic evaluation

90792	Psychiatric diagnostic evaluation with medical services	
90832	Psychotherapy, 30 minutes with patient	
90833	Psychotherapy, 30 minutes with patient when performed with an evaluation and management service	
90834	Psychotherapy, 45 minutes with patient	
90836	Psychotherapy, 45 minutes with patient when performed with an evaluation and management service	
90837	Psychotherapy, 60 minutes with patient	
90838	Psychotherapy, 60 minutes with patient when performed with an evaluation and management service	
90846	Family Psychotherapy w/o patient	
90847	Family psychotherapy (conjoint, w/ patient present)	
90849	Multiple-family group psychotherapy	
90853	Group Psychotherapy	
<del>99201</del>	Office or other outpatient visit for the evaluation and management of a new patient; Straightforward medical decision making. Typically, 10 minutes.	
99202	Office or other outpatient visit for the evaluation and management of a new patient; Straightforward medical decision making. Typically, 20 minutes.	
99203	Office or other outpatient visit for the evaluation and management of a new patient; Medical decision making of low complexity. Typically, 30 minutes.	
99204	Office or other outpatient visit for the evaluation and management of a new patient; Medical decision making of moderate complexity. Typically, 45 minutes.	
99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes.	
99212	Office or other outpatient visit for the evaluation and management of an established patient; Straightforward medical decision making. Typically, 10 minutes.	
99213	Office or other outpatient visit for the evaluation and management of an established patient; Medical decision making of low complexity. Typically, 15 minutes.	
99214	Office or other outpatient visit for the evaluation and management of an established patient; Medical decision making of moderate complexity. Typically, 25 minutes.	
99241	Office consultation for a new or established patient. Usually, the presenting problem(s) are self-limited or minor. Typically, 15 minutes.	
99242	Office consultation for a new or established patient; Straightforward medical decision making; Typically, 30 minutes.	

99243	Office consultation for a new or established patient; Medical decision making of low complexity. Typically, 40 minutes.
99244	Office consultation for a new or established patient; Medical decision making of moderate complexity. Typically, 60 minutes.
99245	Office consultation for a new or established patient; Medical decision making of high complexity. Typically, 80 minutes.
99251	Inpatient consultation for a new or established patient; straightforward medical decision making. Typically, 20 minutes.
99252	Inpatient consultation for a new or established patient; Straightforward medical decision making. Typically, 40 minutes.
99253	Inpatient consultation for a new or established patient; medical decision making of low complexity. Typically, 55 minutes.
99254	Inpatient consultation for a new or established patient; medical decision making of moderate complexity. Typically, 80 minutes.
99255	Inpatient consultation for a new or established patient; medical decision making of high complexity. Typically, 110 minutes.
99281	Emergency department visit for the evaluation and management of a patient; Usually, the presenting problem(s) are self-limited or minor.
99282	Emergency department visit for the evaluation and management of a patient; Usually, the presenting problem(s) are of low to moderate severity.
99283	Emergency department visit for the evaluation and management of a patient; Usually, the presenting problem(s) are of moderate severity.
99284	Emergency department visit for the evaluation and management of a patient; Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.
99285	Emergency department visit for the evaluation and management of a patient; Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.
96136	Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; first 30 minutes
96137	Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure)
96130	Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
96131	Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test

	T
	results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour
96112	Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; first hour
96113	Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; each additional 30 minutes
96116	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour
96121	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; each additional hour
96132	Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
96133	Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour
99406	Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes
99407	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes
<u>G0108</u>	<u>Diabetes management training, individual, 30 minutes</u>
<u>G0109</u>	<u>Diabetes management training, group, 30 minutes</u>
G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the

	patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment	
G0406	Follow-up inpatient consultation, limited, physicians typically spend 15 minutes communicating with the patient via telehealth	
G0407	Follow-up inpatient consultation, intermediate, physicians typically spend 25 minutes communicating with the patient via telehealth	
G0408	Follow-up inpatient consultation, complex, physicians typically spend 35 minutes communicating with the patient via telehealth	
G0425	Telehealth consultation, emergency department or initial inpatient, typically 30 minutes communicating with the patient via telehealth	
G0426	Telehealth consultation, emergency department or initial inpatient, typically 50 minutes communicating with the patient via telehealth	
G0427	Telehealth consultation, emergency department or initial inpatient, typically 70 minutes or more communicating with the patient via telehealth	
<u>H2000</u>	Child Adolescent Needs and Strengths (CANS) assessment	
<u>\$9436</u>	Childbirth prep/Lamaze classes, non-physician	
<u>\$9437</u>	Childbirth refresher classes, non-physician	
<u>\$9444</u>	Baby parenting classes, non-physician	
<u>\$9447</u>	Infant safety (including CPR) training, non-physician	
<u>S9452</u>	Prenatal nutrition classes, non-physician	
<u>\$9453</u>	Smoking cessation class	
<u>\$9470</u>	Prenatal nutrition counseling, dietician visit	
90951	Dialysis related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month	
90952	Dialysis related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month	
90953	Dialysis related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month	
90954	Dialysis related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month	
90955	Dialysis related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling	

	of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month
90956	Dialysis related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month
90957	Dialysis related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 4 or more face-to-face visits by a physician or other qualified health care professional per month
90958	Dialysis related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 2-3 face-to-face visits by a physician or other qualified health care professional per month
90959	Dialysis related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month
90960	Dialysis related services monthly, for patients 20 years of age and older; with 4 or more face-to-face visits by a physician or other qualified health care professional per month
90961	Dialysis related services monthly, for patients 20 years of age and older; with 2-3 face-to-face visits by a physician or other qualified health care professional per month
90962	Dialysis related services monthly, for patients 20 years of age and older; with 1 face-to-face visit by a physician or other qualified health care professional per month
90963	Dialysis related services for home dialysis per full month, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents
90964	Dialysis related services for home dialysis per full month, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents
90965	Dialysis related services for home dialysis per full month, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents
90966	Dialysis related services for home dialysis per full month, for patients 20 years of age and older
90967	Dialysis related services for dialysis less than a full month of service, per day; for patients younger than 2 years of age
90968	Dialysis related services for dialysis less than a full month of service, per day; for patients 2-11 years of age
90969	Dialysis related services for dialysis less than a full month of service, per day; for patients 12-19 years of age

	<del>-</del>
90970	Dialysis related services for dialysis less than a full month of service, per day; for patients 20 years of age and older
99304	Initial nursing facility care, per day, for the evaluation and management of a patient.  Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99305	Initial nursing facility care, per day, for the evaluation and management of a patient. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99306	Initial nursing facility care, per day, for the evaluation and management of a patient. Typically, 45 minutes are spent at the bedside and on the patient's facility floor or unit.
99307	Subsequent nursing facility care, per day, for the evaluation and management of a patient. Typically, 10 minutes are spent at the bedside and on the patient's facility floor or unit.
99308	Subsequent nursing facility care, per day, for the evaluation and management of a patient. Typically, 15 minutes are spent at the bedside and on the patient's facility floor or unit.
99309	Subsequent nursing facility care, per day, for the evaluation and management of a patient. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99310	Subsequent nursing facility care, per day, for the evaluation and management of a patient. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99315	Nursing facility discharge day management; 30 minutes or less
99316	Nursing facility discharge day management; more than 30 minutes
99324	Domiciliary or rest home visit for the evaluation and management of a new patient. Typically, 20 minutes are spent with the patient and/or family or caregiver.
99325	Domiciliary or rest home visit for the evaluation and management of a new patient. Typically, 30 minutes are spent with the patient and/or family or caregiver.
99326	Domiciliary or rest home visit for the evaluation and management of a new patient. Typically, 45 minutes are spent with the patient and/or family or caregiver.
99327	Domiciliary or rest home visit for the evaluation and management of a new patient. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99328	Domiciliary or rest home visit for the evaluation and management of a new patient. Typically, 75 minutes are spent with the patient and/or family or caregiver.
99334	Domiciliary or rest home visit for the evaluation and management of an established patient. Typically, 15 minutes are spent with the patient and/or family or caregiver.
99335	Domiciliary or rest home visit for the evaluation and management of an established patient. Typically, 25 minutes are spent with the patient and/or family or caregiver.
99336	Domiciliary or rest home visit for the evaluation and management of an established patient. Typically, 40 minutes are spent with the patient and/or family or caregiver.
99337	Domiciliary or rest home visit for the evaluation and management of an established patient. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99401	Preventive medicine counseling, first 15 minutes

99402	Preventive medicine counseling, 15-30 minutes	
99421	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes	
99422	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes	
99423	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes	
99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion	
99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion	
99453	Remote monitoring of physiologic parameter(s) (e.g., weight, blood pressure, pulse oximetry, respiratory flow rate), initial; set-up and patient education on use of equipment	
99454	Remote monitoring of physiologic parameter(s) (e.g., weight, blood pressure, pulse oximetry, respiratory flow rate), initial; device(s) supply with daily recording(s) or programmed alert(s) transmission, each 30 days	
99457	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes	
99458	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (list separately in addition to code for primary procedure)	
97802	Medical nutrition therapy; initial assessment and intervention, each 15 minutes	
97803	Medical nutrition therapy; re-assessment and intervention, each 15 minutes	
97804	Medical nutrition therapy; group (2 or more individuals), each 30 minutes	
97802 TH	Lactation counseling by dietitian; initial assessment and intervention, each 15 minutes	
97803 TH	Lactation counseling by dietitian; re-assessment and intervention, each 15 minutes	
97804 TH	Lactation counseling by dietitian; group with 2 or more individuals), each 30 minutes	
37004 111	Family psychotherapy without patient present	
90846	Family psychotherapy without patient present	
	Family psychotherapy without patient present  Family psychotherapy with patient present	

92065	Orthoptic/Pleoptic training
97542	Wheelchair management, each 15 minutes

## Behavioral Health Services Provided by OhioMHAS Certified Providers As defined in Chapter 5160-27

As defined in Chapter 5100-27		
Procedure Code	Description	
90785	Interactive complexity	
90791	Psychiatric Diagnostic Evaluation	
90792	Psychiatric Diagnostic Evaluation with Medical	
90832 KX	Psychotherapy for crisis	
90832	Individual Psychotherapy	
90833	Individual Psychotherapy w/ E/M Service	
90834	Individual Psychotherapy	
90836	Individual Psychotherapy w/ E/M Service	
90837	Individual Psychotherapy	
90838	Individual Psychotherapy w/ E/M Service	
90839	Psychotherapy for crisis	
90840	Psychotherapy for crisis	
90846	Family Psychotherapy w/o patient	
90847	Family psychotherapy (conjoint, w/ patient present)	
90849	Multiple-family group psychotherapy	
90853	Group Psychotherapy	
96112	Developmental Testing	
96113	Developmental Testing	
96116	Neurobehavioral Status Exam	
96121	Neurobehavioral Status Exam	
96130	Psychological Testing Evaluation	
96131	Psychological Testing Evaluation	
96132	Neuropsychological Testing Evaluation	
96133	Neuropsychological Testing Evaluation	
96136	Neuropsychological Testing Administration	
96137	Neuropsychological Testing Administration	
99202	E/M New Patient	
99203	E/M New Patient	
99204	E/M New Patient	
99205	E/M New Patient	
99211	E/M Established Patient	
99212	E/M Established Patient	
99213	E/M Established Patient	
99214	E/M Established Patient	
99215	E/M Established Patient	
99354	Prolonged Visit	
99355	Prolonged Visit – Each Additional 30 Minutes	
99406	Smoking and Tobacco Use Cessation	

99407	Smoking and Tobacco Use Cessation
99415	Prolonged E&M visit, first 60 minutes
99416	Prolonged E&M visit, additional 30 minutes
99417	Prolonged E&M visit, additional 15 minutes
<u>G2212</u>	Prolonged visit – each 15 minutes; only with 99205 and 99215
G0396	Screening, brief intervention, referral to treatment
G0397	Screening, brief intervention, referral to treatment
H0001	SUD Assessment
H0004	SUD Individual Counseling
H0005	SUD Group Counseling
H0006	SUD Case Management
H0010	Clinically Managed Withdrawal Management ASAM 3.2 WM
H0011	Medically Monitored Inpatient Withdrawal Management ASAM 3.7 WM
H0012	Withdrawal Management Per Diem ASAM 2 WM
H0014	Withdrawal Management Hourly ASAM 2 WM
H0015	Intensive Outpatient Program, Partial Hospitalization
H0036	CPST
H0038	SUD Peer Recovery Support
H0040	Assertive Community Treatment
H2000	Child Adolescent Needs and Strengths (CANS) assessment
H2012	TBS Group Service, hourly
H2015	Intensive Home-Based Treatment
H2017	MH LPN Nursing
H2017	Psychosocial Rehabilitation
H2019	MH RN Nursing
H2019	Individual Therapeutic Behavioral Services
H2020	TBS Group Service, per diem
H2023	Specialized Recovery Services
H2025	Specialized Recovery Services
H2034	SUD Residential
H2036	SUD Residential
<u>\$9482</u>	Mobile Response and Stabilization (MRSS) - Stabilization
<u>\$9484</u>	Mobile Response and Stabilization (MRSS) - Crisis Mobile Response Follow-up
<u>\$9485</u>	Mobile Response and Stabilization (MRSS) - Initial Response
T1002	SUD RN Nursing
T1003	SUD LPN Nursing
T1016	Specialized Recovery Services

## Occupational Therapy, Physical Therapy, Speech-Language Pathology, and Audiology Services As Found in OAC 5160-8-35

	AS FOUND IN UAC 5160-8-35	
Procedure Code	Code Description	
92507	Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	
92508	Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals	
92521	Evaluation of speech fluency (e.g., stuttering, cluttering)	
92522	Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria);	
92523	Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (e.g., receptive and expressive language)	
92524	Behavioral and qualitative analysis of voice and resonance	
92526	Treatment of swallowing dysfunction and/or oral function for feeding	
92556	Speech audiometry threshold; with speech recognition	
92601	Diagnostic analysis of cochlear implant, patient younger than 7 years of age; with programming	
92602	Diagnostic analysis of cochlear implant, patient younger than 7 years of age; subsequent reprogramming	
92603	Diagnostic analysis of cochlear implant, age 7 years or older; with programming	
92604	Diagnostic analysis of cochlear implant, age 7 years or older; subsequent reprogramming	
92606	Therapeutic service(s) for the use of non-speech-generating device, including programming and modification	
92607	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with the patient; first hour	
92608	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with the patient; each additional 30 minutes (List separately in addition to code for primary procedure)	
92609	Therapeutic services for the use of speech-generating device, including programming and modification	
96110	Developmental screening (e.g., developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument	
96112	Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; first hour	

Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; each additional 30 minutes  97110 Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility  Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities  97116 Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)  97161 Physical therapy evaluation: low complexity. Typically, 20 minutes are spent face-to-face with the patient and/or family.  97162 Physical therapy evaluation: moderate complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  97163 Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  97164 Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  97165 Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  97166 Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  97168 Re-evaluation of occupational therapy established plan of ca		
exercises to develop strength and endurance, range of motion and flexibility Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities  Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)  Physical therapy evaluation: low complexity. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Physical therapy evaluation: moderate complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Price  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	96113	motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; each
reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities  Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)  Physical therapy evaluation: low complexity. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Physical therapy evaluation: moderate complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each addit	97110	
97161   (includes stair climbing)	97112	reeducation of movement, balance, coordination, kinesthetic sense, posture,
face-to-face with the patient and/or family.  Physical therapy evaluation: moderate complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97116	
spent face-to-face with the patient and/or family.  Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97161	
history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care  Re-evaluation of physical therapy established plan of care. Typically, 20 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97162	
minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, low complexity. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97163	history of present problem with 3 or more personal factors and/or
spent face-to-face with the patient and/or family.  Occupational therapy evaluation, moderate complexity. Typically, 45 minutes are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97164	
97166 are spent face-to-face with the patient and/or family.  Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  97168 Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97165	
components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance  Re-evaluation of occupational therapy established plan of care. Typically, 30 minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97166	
minutes are spent face-to-face with the patient and/or family.  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97167	components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current
strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes  Therapeutic interventions that focus on cognitive function and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97168	
strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	97129	strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, sequencing tasks), direct (one-on-one) patient
97530 Therapeutic activities	97130	strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code
	97530	Therapeutic activities

97532	Cognitive skills development
97533	Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes
97535	Self-care/home management training (eg, activities of daily living [ADL] and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes
97750	Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes
97755	Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes
97760	Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(ies), lower extremity(ies) and/or trunk, initial orthotic(s) encounter, each 15 minutes
97761	Prosthetic(s) training, upper and/or lower extremity(ies), initial prosthetic(s) encounter, each 15 minutes

	Specialized Recovery Services (SRS) Program As found in Chapter 5160-43 of the OAC		
Procedure Code	Description		
H2023	Specialized Recovery Services (SRS) program – supported employment		
H2025	Specialized Recovery Services (SRS) program – ongoing support to maintain employment		
T1016	Specialized Recovery Services (SRS) program – case management		
H0038	Specialized Recovery Services (SRS) program – peer recovery support services		